

B-256

Jersey Nitrile glove, 3/4 coated

PRODUCT FEATURES

- Better sweat absorbing
- Excellent grip in a dry environment
- Oil resistance
- Durable



POSSIBLE APPLICATIONS









PERFORMANCE REQUIREMENTS


| EN ISO 21420 | PASS |
|--------------|-------|
| EN 388 | 4111X |







SQG Safety Hi-Tech Co., Ltd. SIQI Science and Technology Co., Ltd.







Product Data Sheet



DETAILS

B-256 is a protective glove made from jersey lining and Nitrile coating from palm to the knuckle of hand back. The jersey lining with thin fleece inside allows the glove better sweat absorption and has minimum cold resistance. The glove provides excellent grip in a dry environment, has oil resistance, and is durable. This glove is widely used in the medium-heavy oil working environment.

| PRODUCTS DESCRIPTION | | | | | | |
|-------------------------|--|--|--|--|--|--|
| Series | Nitrile | | | | | |
| Available Size | 8-9-10-11 | | | | | |
| Liner Material | Polyester/Cotton | | | | | |
| Liner Color Available | White | | | | | |
| | (other options are available upon request) | | | | | |
| Coating | Smooth nitrile | | | | | |
| Coating Color Available | Blue | | | | | |
| Design | Palm coated till the knuckle of hand back, knit wrist | | | | | |
| Thickness | 2.1mm on palm | | | | | |
| Wash Care | Recommend to use mild detergent or soap and tempered water, avoid using extremely high temperatures when washing and drying (beyond 40°c / 104°F). Wash in a 5-10 minutes cycle time. Rinse in cold water. | | | | | |
| Packaging Reference | 12 Pairs x 6 Dispensers x 1 Carton 38x28x38cm | | | | | |

SIZE SPECIFICATIONS

| Size: | 8 | 9 | 10 | 11 | | |
|--------------------------|-----|-----|-----|-----|--|--|
| Total Length (+/-5 mm) | 240 | 250 | 260 | 270 | | |
| Palm Width (+/-3 mm) | 110 | 118 | 128 | 138 | | |
| Weight (+/-5% gram/pair) | 85 | 90 | 95 | 100 | | |

SQG Safety Hi-Tech Co., Ltd. SIQI Science and Technology Co., Ltd.



+86-021-58880636

