

R-610

Sandy PolyMAX® glove, 15-gauge seamless Nylon/Spandex liner, Palm coated

PRODUCT FEATURES

- Skin and environment friendly
- Excellent grip in dry and wet environments
- Light oil resistance
- 360° air permeability
- Light in weight
- High dexterity
- DMF free
- Silicone free
- Solvent free
- Odorless



POSSIBLE APPLICATIONS



PERFORMANCE REQUIREMENTS

EN ISO 21420	PASS
EN 388	4131X
EN 1186 Food Contact	PASS
OEKO-TEX Standard 100	PASS
Silicone Free	PASS
Odorless	PASS

EN 388



4131X



CAT. II



Silicone Free

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100

SHGO 114383 TESTEX

Tested for harmful substances.
www.oeko-tex.com/standard100





DETAILS

R-610 is a protective glove made from 15-gauge nylon/spandex and innovated PolyMAX® coating with sandy finished. PolyMAX® is a unique polymer polyurethane coating with the characteristics of skin and environment-friendly, solvent-free, DMF-free, silicone-free and odorless. R-610 provides excellent grip in dry and wet environments and resistance to light oil. It also offers high dexterity and 360° air permeability. This glove is widely used in general mechanic working areas.

PRODUCT DESCRIPTIONS	
Series	PolyMAX®
Available Size	6-7-8-9-10-11-12
Liner Material	Nylon/Spandex
Liner Color Available	Black (other options are available upon request)
Coating	PPU
Coating Color Available	Grey (other options are available upon request)
Design	Palm coated, knit wrist
Thickness	0.9mm on palm
Wash Care	Recommend to use mild detergent or soap and tempered water, avoid using extremely high temperatures when washing and drying (beyond 40°C / 104°F). Wash in a 5-10 minutes cycle time. Rinse in cold water.
Packaging Reference	12 Pairs x 12 Dispensers x 1 Carton 48x28x29cm

SIZE SPECIFICATIONS

Size:	6	7	8	9	10	11	12
Total Length (+/-5 mm)	210	220	230	240	250	260	270
Palm Width (+/-3 mm)	75	80	88	96	100	102	104
Weight (+/-5% gram/pair)	25	26	32	37	38	40	42

