

WR-901

Fluorescent orange PVC glove, Foam insulated lining, Sandy finished

PRODUCT FEATURES

- Foam insulated lining for cold resistance
- Excellent grip in dry and wet environments
- Water and oil resistance
- Chemical resistance
- Durable



POSSIBLE APPLICATIONS



PERFORMANCE REQUIREMENTS

EN ISO 21420	PASS
EN 388	4231X

EN 388



4231X



CAT. II





DETAILS

WR-901 is a protective glove made from polyester/cotton and PVC coating with sandy finished. Fully coated with PVC prevents water, oil, and chemicals from penetrating the glove, keeping the user's hand dry and clean. The fluorescent coating is to enhance visibility. Meanwhile, the insulated foam protects the user's hand from cold. The glove provides excellent grip in dry and wet environments and is durable. Different lengths can meet the user's multiple requirements. WR-901 is widely used in general protection from chemical environments and low-temperature conditions, such as in the laboratory.

PRODUCT DESCRIPTIONS	
Series	PVC
Available Size	10-11 (27cm,30cm,35cm)
Liner Material	Polyester/Cotton
Liner Color Available	White
Coating	Sandy PVC
Coating Color Available	Hi-Vis Orange (other options are available upon request)
Design	Fully coated, long shaft (27cm/30cm/35cm)
Thickness	2.3mm on palm
Wash Care	Recommend to use mild detergent or soap and tempered water, avoid using extremely high temperatures when washing and drying (beyond 40°C / 104°F). Wash in a 5-10 minutes cycle time. Rinse in cold water.
Packaging Reference	6 Pairs x 12 Dispensers x 1 Carton 31x29x68cm (30cm)

SIZE SPECIFICATIONS

Size:	27cm		30cm		35cm	
	10	11	10	11	10	11
Total Length (+/-5mm)	270	270	300	300	350	350
Palm Width (+/-3 mm)	130	140	130	140	130	140
Weight (+/-5% gram/pair)	220	240	270	290	320	350

SQG Safety Hi-Tech Co., Ltd. | SIQI Science and Technology Co., Ltd.

✉ sqg@sqglove.com

☎ +86-021-58880636

📍 Room 1707-1709, West Building, 2218 Hunan Road, Pudong New Area, Shanghai, 201204

