

K4-610

Anti-Cut PolyMAX® glove, 18-gauge seamless TekArmor® A4/D liner, Palm coated

PRODUCT FEATURES

- Cut level A4/D protection
- Skin and environment friendly
- Excellent grip in dry and wet environments
- Touch screen
- Light oil resistance
- 360° air permeability
- Light and thin
- High dexterity
- DMF free
- Silicone free
- Solvent free
- Odorless




POSSIBLE APPLICATIONS



PERFORMANCE REQUIREMENTS

EN ISO 21420	PASS
EN 388	4X41D
ANSI Cut Resistant	Level A4
Touch Screen	PASS
EN 1186 Food Contact	PASS
OEKO-TEX Standard 100	PASS
Silicone Free	PASS
Odorless	PASS



DETAILS

K4-610 is a protective glove made from an 18-gauge TekArmor® liner and innovated PolyMAX® coating. PolyMAX® is a unique polymer polyurethane coating with the characteristics of skin and environment-friendly, solvent-free, DMF-free, silicone-free and odorless. K4-610 has a *steady performance A4/D cut protection and screen touching*. Meanwhile, this glove provides excellent grip in dry and wet environments and resistance to light oil. It also offers high dexterity and 360° air permeability. This glove is widely used in general mechanic working areas.

PRODUCT DESCRIPTIONS	
Series	PolyMAX®, TekArmor®
Available Size	7-8-9-10-11-12
Liner Material	HPPE/TekArmor®/Nylon/Spandex
Liner Color Available	Grey (other options are available upon request)
Coating	PPU
Coating Color Available	Black (other options are available upon request)
Design	Palm coated, knit wrist
Thickness	0.9mm on palm
Wash Care	Recommend to use mild detergent or soap and tempered water, avoid using extremely high temperatures when washing and drying (beyond 40°C / 104°F). Wash in a 5-10 minutes cycle time. Rinse in cold water.
Packaging Style	12 Pairs x 6 Dispensers x 1 Carton 37x29x25cm

SIZE SPECIFICATIONS

Size:	7	8	9	10	11	12
Total Length (+/-5 mm)	220	230	240	250	260	270
Palm Width (+/-3 mm)	75	79	89	94	97	100
Weight (+/-5% gram/pair)	38	39	54	56	57	59

