

B6-310R-BIO

BLADEGUARD, 13-gauge seamless HPPE/RPET/Steel fiber, Bio-based soft PU coating

PRODUCT FEATURES

- Bio-based PU coating
- Exceptional wear resistance
- Provides reliable 360° protection
- Reinforcement - between the thumb and forefinger
- Excellent grip in dry condition
- Solid ANSI cut level A6/EN388 cut level F



POSSIBLE APPLICATIONS



PERFORMANCE REQUIREMENTS

EN ISO 21420	PASS
EN 388	4X43F
ANSI Cut Resistant	Level A6
OEKO-TEX Standard 100	PASS





Product Data Sheet

DETAILS

B6-310R-BIO is a protective glove made from 13-gauge seamless HPPE/RPET/Steel fiber and Bio-based soft PU coating. The Bio-based soft PU coating features lightweight design and high levels of comfort. Reinforcement - between the thumb and forefinger, improves cut resistance and extends glove life in an inherently weak area 360° breathability. Meanwhile, the glove provides high dexterity and excellent grip in dry condition. It also has a screen-touching function. This glove is widely used in general mechanical protection, for example, packaging, cleaning, and electronic assembly.

PRODUCT DESCRIPTIONS	
Series	BLADEGUARD
Available Size	7-8-9-10-11-12
Liner Material	HPPE/RPET/Steel fiber
Liner Color Available	Blue, Black (other options are available upon request)
Coating	Bio-based soft PU coating
Coating Color Available	Black
Design	Palm coated
Thickness on Palm	0.8mm on palm
Wash Care	Recommend to use mild detergent or soap and tempered water, avoid using extremely high temperatures when washing and drying (beyond 40°C / 104°F), Wash in a 5-10 minutes cycle time. Rinse in cold water
Packaging Reference	12 Pairs x 12 Dispensers x 1 Carton 50x28x26cm

SIZE SPECIFICATIONS

Size:	6	7	8	9	10	11	12
Total Length (+/-5 mm)	210	220	230	240	250	260	270
Palm Width (+/-3 mm)	87	90	93	98	104	108	110
Weight (+/-5% gram/pair)	22	24	25	27	30	32	34

SQG Safety Hi-Tech Co., Ltd.

✉ sqg@sqglove.com

📍 Room 1707-1709, West Building, 2218 Hunan Road, Pudong New Area, Shanghai, 201204

SIQI Science and Technology Co., Ltd.

☎ +86-021-58880636

