

K2-618

18G seamless TekArmor® and spandex liner, PolyMax® palm coating

PRODUCT FEATURES

- Light blue desined for Food Contact
- Recommended for use in raw food processing
- 18G TekArmor® high dexterity
- Cut-resistant yarn brings flexible and light
- Excellent grip in dry and wet condition
- Glass and steel free



POSSIBLE APPLICATIONS



PERFORMANCE REQUIREMENTS

EN ISO 21420	Pass
EN 388	4X41B
ANSI Cut Resistant	Level A2
OEKO-TEX Standard 100	Pass



DETAILS

K2-618 is a protective glove made from an 18-gauge TekArmor® and spandex liner and innovated PolyMAX® coating. PolyMAX® is a unique polymer polyurethane coating with the characteristics of skin and environment-friendly, solvent-free, DMF-free, silicone-free and odorless. TekArmor® is an ultra-thin but high-performance liner. K2-618 able to keep steady performance A2/B cut protection and screen touching after washing. Meanwhile, this glove provides excellent grip in dry and wet environments and resistance to light oil. It also offers high dexterity and 360° air permeability. This glove is widely used in general mechanic working areas. If you are interested in our technique, pls click here ([PolyMAX®](#), [TekArmor®](#)) to learn more.

PRODUCT DESCRIPTIONS

Series	PolyMAX®/TekArmor®
Available Size	6-7-8-9-10-11-12
Liner Material	TekArmor®, Spandex
Liner Color Available	Light blue (other options are available upon request)
Coating	PolyMax® coating
Coating Color Available	Black
Design	Plam coated
Thickness	0.8mm on palm
Wash Care	Recommend to use mild detergent or soap and tempered water, avoid using extremely high temperatures when washing and drying (beyond 40°C / 104°F), Wash in a 5-10 minutes cycle time. Rinse in cold water
Packaging Reference	12 Pairs x 6 Dispensers x 1 Carton, 37 x 29 x 25 cm

SIZE SPECIFICATIONS

Size:	6	7	8	9	10	11	12
Total Length (+/-8 mm)	220	230	240	250	260	265	275
Palm Width (+/-5 mm)	85	90	95	100	104	107	110
Weight (+/-5% gram/pair)	26	28	32	34	38	40	42

